Source Paper	Date	File	Item	Title
USHS Trib	no da	te	program, competit	cion "Utah's New Capitol Will Resemble Kentucky's
			cost, arrangement of pro architects to enter	gram same; commission invited Andrews & Co., Ky capitol
USHS Trib.	03/10	/111	funding	"\$798,546 come to Utah: Mrs. Harriman Pays Tax"
USHS Trib.	03/14	/112	Tourtellotte; (\$500) Can and Eldredge & Cheseb	"Kletting Plans Chosen for the State Capitol" Young & Son, G. Henri Desmond, F.M. Andrews Co, J.E. non& Fetzer and Ramm Hansen, Watkins, Birch & Kent ro, Ware & Treganza and Pope & Burton; (\$250) Y. Moore. Kletting b. Stuttgart, lists many of his built
USHS DN.	12/19	/114	progress Quarter of a Century	"Utah's Magnificent State Capitol: Dream of a Materializes—May be Used by Legislature in 1915"
USHS Transo	cript 07,	/29/38	employees were scattered,	"Utah State Capitol"  sea called "capitol hill." While under construction, state  and gov's staff had a space at thte city/county  l is crowded from roof to sub-basement"
USHS Trib.	11/19	/41	elevators considering having north	"State receives bid on capitol elevators" shaft extended from the fourth floor to the first landing on can be taken to an elevation which will afford them a good
USHS Trib.	12/29	/42	House rail Ro	"Agencies Shuffled in Capitol To Give Legislature
USHS DN.	05/09	/44	M.battalion	tegrating bronze railing around the House Gallery "Lily Pond Gets Housecleaning"
USHS Trib.	09/18		West steps	"Escaping Safe Cracks Four Capitol Steps"
03113 1110.	07/10	/ 43	1 *	s on the Capitol's West side were to be repaired
USHS DN.	11/01	/45	elevators	"Capitol Soon to have new Elevators"
	,	,	4x5ft manhole hammere newly encased elev north	d into roof, approved 1941 legislature. New elev south,
USHS Trib.	05/14	/46	plan includes an ampitheatre	"Utah Draws master Plan for Capitol Hill Works" site
USHS Telegr	ram 05/	16/46	dome, lighting	"Capitol Dome set for Illumination"
USHS DN.	06/28	/46	elevators north elev includes only i match the new south elev	"New Capitol Elevator is Accepted" the enclosing of hatchways an dinstallation of a new cab to
USHS Trib.	07/16	/46	plan	"Architects Ask Capitol 'Plan""
USHS Trib.	07/24	/46	partitions	"Capitol Seeks Office Space"
			possible main floor parti	
USHS Trib.	07/30		1 *	"Housing Fret Hits Capitol"
USHS Trib	08/09	/46	state office bldg  A.B. Paulson chosen for	"State Assigns Architect for New Building"  State office building

USHS Trib. 08/30/46 USHS Trib. 03/12/47 USHS Trib. 04/30/47 USHS Trib. 04/30/47 USHS Trib. 04/30/47 USHS Trib. 04/30/47 USHS Trib. 010/08/47 USHS Trib. 010/08/47 USHS Trib. 06/10/48 USHS Trib. 06/10/48 USHS Trib. 06/10/48 USHS Trib. 08/25/49 USHS DN. 09/16/49 USHS DN. 09/16/49 USHS DN. 09/16/49 USHS DN. 09/23/49 USHS DN. 09/23/49 USHS DN. 09/23/49 USHS DN. 09/25/50 USHS DN. 09/25/50 USHS DN. 09/25/50 USHS Trib. 03/02/50 USHS Trib. 03/02/50 USHS Trib. 03/21/50 USHS Trib. 03/21/50 USHS DN. 04/11/50 USHS Trib. 12/27/50 USHS Trib. 12/27/50 USHS Trib. 12/27/50 USHS Trib. 12/27/50 USHS Trib. 12/11/52	Source Paper	Date File	Item	Title		
USHS Trib. 04/30/47 USHS Trib. 010/08/47 USHS Trib. 010/08/47 USHS DN. 01/15/48 DN. 01/15/48 DN. 01/15/48 DN. 01/15/48 DN. 01/15/48 DN. 06/10/48 USHS DN. 05/20/49 USHS DN. 05/20/49 USHS DN. 05/20/49 USHS DN. 05/20/49 USHS DN. 08/25/49 USHS DN. 09/16/49 USHS DN. 09/16/49 USHS DN. 09/16/49 USHS DN. 09/16/49 USHS DN. 09/23/49 USHS DN. 09/25/50 USHS DN. 09/25/50 USHS DN. 09/25/50 USHS Trib. 03/02/50 USHS Trib. 03/02/50 USHS Trib. 03/21/50 USHS Trib. 03/21/50 USHS DN. 04/11/50 USHS Trib. 12/27/50 USHS Trib. 12/11/52 USHS Trib. 12/21/50 USHS Trib. 12/27/50 USHS Trib. 12/11/52 USHS Trib. 12/27/50 USHS Trib. 12/27/50 USHS Trib. 12/27/50 USHS Trib. 12/27/50 USHS Trib. 12/11/52 USHS Trib. 12/27/50 USHS Trib. 12/11/52 USHS Trib. 12/27/50 USHS Trib. 12/11/52 USHS Trib. 12/11/52 USHS Trib. 12/11/52 USHS Trib. 12/27/50 USHS Trib. 12/27/50 USHS Trib. 12/11/52	USHS Trib.	08/30/46	plan	"Capitol Grounds Planning Urged"		
USHS Trib. 04/30/47 governor's office "Maw's Capitol Quarters Given '47 renovation" office space "Crews Wall off Hall Space to House Capitol Offices" no partitions "State Clears Capitol Halls" no more partitioning of hall space  USHS DN. 01/15/48 no partitions "State Clears Capitol Halls" no more partitioning of hall space  USHS DN. 05/20/49 landscape "Capitol Guests to get aid of new walk" concrete nalk inside row of Jap cherry trees; Leon Frebner; state landscape architect dome "Capitol due for new copper dome"  USHS DN. 08/25/49 dome "Funds Sought to Mend Capitol" discoloration, cracks and surface scalings on granite, rog given in places, resulting in discoloration of cacks and surface scalings of several fourth floor offices  USHS DN. 09/16/49 dome "Gapitol Dome repair bids top Estimates" roof "Funds Approved for repairs on Capitol Roof" skylight "New Bids Called For At State Capitol" 450 panes of glass in the main figer need replacing heat, skylight, café "Examiners Allow Capitol Deficit" incl. \$15,500 steam heating pipes, \$10,170 septemoration, \$9903 roof repair; \$9450 skylights replaced with capper sheathing  USHS DN. 03/21/50 dome "Capitol Dome Repair Job Busies Crew" 500 broken skylights replaced with capper sheathing  USHS DN. 04/11/50 exterior columns "Pigeons at Capitol to lose their Roost" comenting bricks into a steep step formation and then covering with smooth, steep cement surfacing drawings "Blueprint Purchase Ups Capitol Cost" \$35000 for original blueprints from Mrs. Kletting (domn from \$10,000) steps, electricity "Aging Capitol Dome to have New Copper Flashings" "Crews Scrub up Chambers for Legislature of "Capitol Dome takes on Copper Flook" USHS Trib. 12/10/50 dome "Capitol Dome takes on Copper Flook" USHS Trib. 12/11/52 House rail "Gallery rail repair due; Solons safe"	USHS Trib.	03/12/47	murals	"Historic Murals Get Face-lifting: Utah Capitol		
USHS Trib. 04/30/47 USHS Trib. 010/08/47 USHS DN. 01/15/48 USHS DN. 05/20/49 USHS Trib. 06/10/48 USHS DN. 05/20/49 USHS DN. 05/20/49 USHS DN. 08/25/49 USHS DN. 09/16/49 USHS DN. 09/16/49 USHS DN. 09/16/49 USHS DN. 09/23/49 USHS DN. 09/24/49 USHS DN. 09/25/40 USHS DN. 09/25/40 USHS DN. 09/25/40 USHS DN. 09/25/40 USHS Trib. 03/02/50 USHS Trib. 03/02/50 USHS Trib. 03/21/50 USHS Trib. 03/21/50 USHS DN. 04/11/50 USHS DN. 04/11/50 USHS DN. 04/11/50 USHS DN. 04/35/50 USHS Trib. 010/12/50 USHS Trib. 08/25/51 USHS Trib.			Dome			
USHS DN. 01/15/48 no partitions "State Clears Capitol Halls" no partitions of hall space  USHS DN. 06/10/48 landscape "Capitol Guests to get aid of new walk" concrete walk inside row of Jap cherry trees; Leon Frehner, state landscape architect dome "Capitol due for new copper dome" roof "Utah's Capitol Roof in need of Repairs, Bennion Says"  USHS DN. 08/25/49 dome "Funds Sought to Mend Capitol" discoloration, cracks and surface scalings on granite, roof given in places, resulting in discoloration blotches on ceilings of several founts floor offices dome "Capitol Dome repair bids top Estimates" roof "Framis Approved for repairs on Capitol Roof" skylight "New Bids Called For At State Capitol" 450 panes of glass in the main foyer need replacing heat, skylight, cafe "Framiners Allow Capitol Deficit" incl. \$15,500 steam beating pipes, \$10,170 café renovation, \$9903 roof repair; \$9450 skylight glass repair dome "Capitol Dome Repair Job Busies Crew" 500 broken skylights replaced, repair lantern balcony (formerly concrete covered with galvanized steel) steel replaced with opper sheathing exterior columns comenting bricks into a steep step formation and then covering mith smooth, steep cement surfacing drawings "Blueprint Purchase Ups Capitol Cost" \$3000 for original blueprints from Mrs. Kletting (down from \$10,000) steps, electricity dome "Capitol Dome to have New Copper Flashings" "Crews Scrub up Chambers for Legislature of "Capitol Dome takes on Copper Look" USHS Trib. 12/21/50 dome "Capitol Dome takes on Copper Flashings" "Grews Scrub up Chambers for Legislature of "Capitol Dome takes on Copper Look" USHS Trib. 12/21/52 House rail "Gallery rail repair due; Solons safe"			first cleaning of murals (1930)			
Offices"  Opartitions "State Clears Capitol Halls"  no partitions no more partitioning of hall space  landscape "Capitol Guests to get aid of new walk"  concrete malk inside row of Jap cherry trees; Leon Frebner, state landscape architect  USHS DN. 05/20/49 dome "Capitol due for new copper dome"  USHS DN. 08/25/49 dome "Capitol Roof in need of Repairs, Bennion Says"  USHS DN. 08/25/49 dome "Funds Sought to Mend Capitol"  discoloration, crucks and surface scalings on granite, roof given in places, resulting in discolorated blotches on cellings of several fourth floor offices  USHS DN. 09/16/49 dome "Capitol Dome repair bids top Estimates"  USHS DN. 09/23/49 roof "Funds Approved for repairs on Capitol Roof"  USHS DN. 09/29/49 skylight "New Bids Called For At State Capitol"  450 panes of glass in the main fayer need replacing  USHS Trib. 03/02/50 heart healing pipes, \$10,170 cafe renoration, \$9903 roof repair;  \$9450 skylights replaced, repair lantern balcony (formerly concrete covered with galvanized steel) steel replaced with copper sheathing  USHS DN. 04/11/50 cxterior columns "Pigeons at Capitol to lose their Roost"  cements surfacing "Blueprint Purchase Ups Capitol Cost"  \$000 for original blueprints from Mrs. Kletting (down from \$10,000)  USHS Trib. 12/03/50 dome "Capitol Dome to have New Copper Flashings"  USHS Trib. 12/27/50 dome "Capitol Dome to have New Copper Flashings"  USHS Trib. 12/27/50 dome, lighting "Brilliant Lights Switched on Capitol Dome"  USHS Trib. 12/21/52 dome, "Gapitol Dome takes on Copper Look"  USHS Trib. 12/11/52 House rail "Gallery rail repair due; Solons safe"	USHS Trib.	04/30/47	governor's office	"Maw's Capitol Quarters Given '47 renovation"		
USHS Trib. 06/10/48  USHS DN. 05/20/49  USHS DN. 05/20/49  USHS DN. 05/20/49  USHS DN. 08/25/49  USHS DN. 09/16/49  USHS DN. 09/16/49  USHS DN. 09/16/49  USHS DN. 09/23/49  USHS DN. 09/25/50  USHS DN. 09/25/50  USHS DN. 09/25/50  USHS DN. 09/25/50  USHS Trib. 03/02/50  USHS Trib. 03/21/50  USHS DN. 04/11/50  USHS DN. 04/11/50  USHS DN. 04/11/50  USHS DN. 06/13/50  USHS DN. 06/13/50  USHS DN. 06/13/50  USHS Trib DN. 08/25/51  USHS Trib U2/27/50  USHS Trib	USHS Trib.	010/08/47	1	"Crews Wall off Hall Space to House Capitol		
USHS Trib. 06/10/48 landscape "Capitol Guests to get aid of new walk" concrete walk inside row of Jap cherry trees; Leon Frehner, state landscape architect dome "Capitol due for new copper dome" roof "Utah's Capitol Roof in need of Repairs, Bennion Says"  USHS DN. 08/25/49 dome "Funds Sought to Mend Capitol" discoloration, cracks and surface scalings on granite, roof given in places, resulting in discolored blotches on cellings of several fourth floor offices dome "Capitol Dome repair bids top Estimates" roof "Funds Approved for repairs on Capitol Roof" skylight "New Bids Called For At State Capitol" 450 panes of glass in the main foyer need replacing heat, skylight, café "Examiners Allow Capitol Deficit" incl. \$15,500 steam heating pipes, \$10,170 café renovation, \$9903 roof repair; \$9450 skylight glass repair dome "Capitol Dome Repair Job Busies Crew" 500 broken skylights replaced, repair lantern balcony (formerly concrete covered with galvanized steel) steel replaced with copper sheathing exterior columns "Pigeons at Capitol to lose their Roost" cement surfacing cement surfacing "Syloo for original blueprints from Mrs. Kletting (down from \$10,000) steps, senate chamber "Capitol Dome to have New Copper Flashings" Senate chamber "Grews Scrub up Chambers for Legislature of "Crews Scrub up Chambers for Legislature of "Capitol Dome takes on Copper Look" "Gallery rail repair due; Solons safe"	USHS DN.	01/15/48	no partitions	"State Clears Capitol Halls"		
USHS DN. 05/20/49 dome "Capitol due for new copper dome" roof "Utah's Capitol Roof in need of Repairs, Bennion Says" dome "Funds Sought to Mend Capitol" discoloration, cracks and surface scalings on granite, roof given in places, resulting in discoloration, cracks and surface scalings on granite, roof given in places, resulting in discoloration cracks and surface scalings on granite, roof given in places, resulting in discoloration cracks and surface scalings on granite, roof given in places, resulting in discolorate blotches on ceilings of several fourth floor offices  USHS DN. 09/16/49 dome "Capitol Dome repair bids top Estimates" roof "Funds Approved for repairs on Capitol Roof" "New Bids Called For At State Capitol" 450 panes of glass in the main foyer need replacing heat, skylight, café "Examiners Allow Capitol Deficit" incl. \$15,500 steam heating pipes, \$10,170 café renovation, \$9903 roof repair; \$9450 skylight glass repair  USHS Trib. 03/21/50 dome "Capitol Dome Repair Job Busies Crew" 500 broken skylights replaced, repair lantern balcony (formerly concrete covered with galvanized steel) steel replaced with copper sheathing exterior columns "Pigeons at Capitol to lose their Roost" cementing bricks into a steep step formation and then covering with smooth, steep cement surfacing drawings "Blueprint Purchase Ups Capitol Cost" \$3000 for original blueprints from Mrs. Kletting (down from \$10,000) steps, electricity "Aging Capitol due face Lifting work dome "Capitol Dome to have New Copper Flashings" Senate chamber "Crews Scrub up Chambers for Legislature of 1951" biennial housecleaning dome, lighting "Brilliant Lights Switched on Capitol Dome" dome, lighting "Gallery rail repair due; Solons safe"			no more partitioning of	hall space		
USHS DN. 05/20/49 dome "Capitol due for new copper dome" roof "Utah's Capitol Roof in need of Repairs, Bennion Says"  dome "Funds Sought to Mend Capitol" discoloration, cracks and surface scalings on granite, roof given in places, resulting in discoloration and blotches on ceilings of several fourth floor offices  USHS DN. 09/16/49 dome "Capitol Dome repair bids top Estimates" roof "Funds Approved for repairs on Capitol Roof" Skylight "New Bids Called For At State Capitol" 450 panes of glass in the main foyer need replacing heat, skylight, café "Examiners Allow Capitol Deficit" incl. \$15,500 steam beating pipes, \$10,170 café renovation, \$9903 roof repair; \$9450 skylight glass repair  USHS Trib. 03/21/50 dome "Capitol Dome Repair Job Busies Crew" 500 broken skylights replaced, repair lantern balcony (formerly concrete covered with galvanized steel) steel replaced with copper sheathing exterior columns "Pigeons at Capitol to lose their Roost" cement surfacing drawings "Blueprint Purchase Ups Capitol Cost" \$3000 for original blueprints from Mrs. Kletting (down from \$10,000) steps, electricity "Aging Capitol due face Lifting work dome "Capitol Dome to have New Copper Flashings" USHS Trib. 12/20/50 dome "Capitol Dome to have New Copper Flashings" USHS Trib. 12/27/50 dome "Galiery rail repair due; Solons safe"	USHS Trib.	06/10/48	landscape	"Capitol Guests to get aid of new walk"		
USHS Trib. 08/25/49 roof "Utah's Capitol Roof in need of Repairs, Bennion Says"  USHS DN. 08/25/49 dome "Funds Sought to Mend Capitol" discoloration, cracks and surface scalings on granite, roof given in places, resulting in discoloration, cracks and surface scalings of several fourth floor offices dome "Capitol Dome repair bids top Estimates" roof "Funds Approved for repairs on Capitol Roof" skylight "New Bids Called For At State Capitol" 450 panes of glass in the main foyer need replacing  USHS Trib. 03/02/50 heat, skylight, café "Examiners Allow Capitol Deficit" incl. \$15,500 steam heating pipes, \$10,170 café renovation, \$9903 roof repair; \$9450 skylight glass repair  USHS Trib. 03/21/50 dome "Capitol Dome Repair Job Busies Crew" \$500 broken skylights replaced with copper sheathing eatvanized steel) steel replaced with copper sheathing exterior columns "Pigeons at Capitol to lose their Roost" cementing bricks into a steep steep formation and then covering with smooth, steep cement surfacing drawings "Blueprint Purchase Ups Capitol Cost" \$3000 for original blueprints from Mrs. Kletting (down from \$10,000) steps, electricity "Aging Capitol due face Lifting work dome "Capitol Dome to have New Copper Flashings" Senate chamber 1951" biennial bousecleaning dome, lighting "Brilliant Lights Switched on Capitol Dome" (Capitol Dome takes on Copper Look" Gallery rail repair due; Solons safe")			concrete walk inside row	of Jap cherry trees; Leon Frehner, state landscape architect		
USHS DN. 08/25/49  USHS DN. 08/25/49  USHS DN. 09/16/49  USHS DN. 09/23/49  USHS DN. 09/23/49  USHS DN. 09/29/49  USHS DN. 09/29/49  USHS DN. 03/02/50  USHS Trib. 03/21/50  USHS DN. 04/11/50  USHS DN. 06/13/50  USHS DN. 06/13/50  USHS Trib 010/12/50  USHS Trib 12/10/50  USHS Trib 12/27/50  USHS Trib 12/27/50  USHS Trib 12/27/50  USHS Trib 08/25/51  USHS Trib 08/25/51  USHS Trib 12/11/52  House rail  "Graptol Dome to Mend Capitol Paintle in Assuring	USHS DN.	05/20/49	dome	"Capitol due for new copper dome"		
discoloration, cracks and surface scalings on granite, roof given in places, resulting in discolored blotches on ceilings of several fourth floor offices  dome "Capitol Dome repair bids top Estimates" roof "Funds Approved for repairs on Capitol Roof" skylight "New Bids Called For At State Capitol" 450 panes of glass in the main foyer need replacing  USHS Trib. 03/02/50 heat, skylight, café "Examiners Allow Capitol Deficit" incl. \$15,500 steam heating pipes, \$10,170 café renovation, \$9903 roof repair; \$9450 skylight glass repair  USHS Trib. 03/21/50 dome "Capitol Dome Repair Job Busies Crew" 500 broken skylights replaced, repair lantern balcony (formerly concrete covered with galvanized steel) steel replaced with copper sheathing exterior columns "Pigeons at Capitol to lose their Roost" cementing bricks into a steep step formation and then covering with smooth, steep cement surfacing drawings "Blueprint Purchase Ups Capitol Cost" \$3000 for original blueprints from Mrs. Kletting (down from \$10,000)  USHS Trib. 010/12/50 steps, electricity "Aging Capitol due face Lifting work dome "Capitol Dome to have New Copper Flashings"  USHS Trib. 12/10/50 Senate chamber "Crews Scrub up Chambers for Legislature of 1951" biennial housecleaning dome, lighting "Brilliant Lights Switched on Capitol Dome" (Capitol Dome takes on Copper Look" House rail "Gallery rail repair due; Solons safe")	USHS Trib.	08/25/49		"Utah's Capitol Roof in need of Repairs, Bennion		
USHS DN. 09/16/49 dome "Capitol Dome repair bids top Estimates" roof "Funds Approved for repairs on Capitol Roof" Skylight "New Bids Called For At State Capitol" 450 panes of glass in the main foyer need replacing heat, skylight, café "Examiners Allow Capitol Deficit" incl. \$15,500 steam heating pipes, \$10,170 café renovation, \$9903 roof repair; \$9450 skylight glass repair dome "Capitol Dome Repair Job Busies Crew" 500 broken skylights replaced nith copper sheathing exterior columns "Pigeons at Capitol to lose their Roost" cementing bricks into a steep step formation and then covering nith smooth, steep cement surfacing drawings "Blueprint Purchase Ups Capitol Cost" \$3000 for original blueprints from Mrs. Kletting (down from \$10,000) steps, electricity "Aging Capitol Dome to have New Copper Flashings" USHS Trib. 12/10/50 Senate chamber "Crews Scrub up Chambers for Legislature of 1951" biennial housecleaning dome "Capitol Dome takes on Copper Look" USHS Trib. 08/25/51 dome "Gallery rail repair due; Solons safe"	USHS DN.	08/25/49	dome	"Funds Sought to Mend Capitol"		
USHS DN. 09/16/49 dome "Capitol Dome repair bids top Estimates"  USHS DN. 09/23/49 roof "Funds Approved for repairs on Capitol Roof"  ISHS DN. 09/29/49 skylight "New Bids Called For At State Capitol"  450 panes of glass in the main foyer need replacing  heat, skylight, café "Examiners Allow Capitol Deficit"  incl. \$15,500 steam heating pipes, \$10,170 café renovation, \$9903 roof repair;  \$9450 skylight glass repair  USHS Trib. 03/21/50 dome "Capitol Dome Repair Job Busies Crew"  500 broken skylights replaced, repair lantern balcony (formerly concrete covered nith galvanized steel) steel replaced with copper sheathing  exterior columns "Pigeons at Capitol to lose their Roost"  cementing bricks into a steep step formation and then covering nith smooth, steep cement surfacing  USHS DN. 06/13/50 drawings "Blueprint Purchase Ups Capitol Cost"  \$3000 for original blueprints from Mrs. Kletting (down from \$10,000)  USHS Trib 010/12/50 steps, electricity "Aging Capitol due face Lifting work  USHS DN. 12/03/50 dome "Capitol Dome to have New Copper Flashings"  USHS Trib. 12/10/50 Senate chamber "Crews Scrub up Chambers for Legislature of 1951"  biennial housecleaning dome, lighting "Brilliant Lights Switched on Capitol Dome"  USHS Trib. 08/25/51 dome "Capitol Dome takes on Copper Look"  USHS Trib. 12/11/52 House rail "Gallery rail repair due; Solons safe"						
USHS DN. 09/29/49 skylight "New Bids Called For At State Capitol" 450 panes of glass in the main foyer need replacing  heat, skylight, café "Examiners Allow Capitol Deficit" incl. \$15,500 steam heating pipes, \$10,170 café renovation, \$9903 roof repair; \$9450 skylight glass repair  USHS Trib. 03/21/50 dome "Capitol Dome Repair Job Busies Crew" 500 broken skylights replaced, repair lantern balcony (formerly concrete covered nith galvanized steet) steel replaced nith copper sheathing  USHS DN. 04/11/50 exterior columns "Pigeons at Capitol to lose their Roost" cementing bricks into a steep step formation and then covering nith smooth, steep cement surfacing  USHS DN. 06/13/50 drawings "Blueprint Purchase Ups Capitol Cost" \$3000 for original blueprints from Mrs. Kletting (down from \$10,000)  USHS Trib 010/12/50 steps, electricity "Aging Capitol due face Lifting work dome "Capitol Dome to have New Copper Flashings"  USHS Trib. 12/10/50 Senate chamber "Crews Scrub up Chambers for Legislature of 1951" biennial housecleaning  USHS Trib. 12/27/50 dome, lighting "Brilliant Lights Switched on Capitol Dome"  USHS Trib. 08/25/51 dome "Capitol Dome takes on Copper Look"  USHS Trib. 12/11/52 House rail "Gallery rail repair due; Solons safe"	USHS DN.	09/16/49				
USHS Trib. 03/02/50 heat, skylight, café "Examiners Allow Capitol Deficit" incl. \$15,500 steam heating pipes, \$10,170 café renovation, \$9903 roof repair; \$9450 skylight glass repair  USHS Trib. 03/21/50 dome "Capitol Dome Repair Job Busies Crew" 500 broken skylights replaced, repair lantern balcony (formerly concrete covered with galvanized steel) steel replaced with copper sheathing  USHS DN. 04/11/50 exterior columns "Pigeons at Capitol to lose their Roost" cementing bricks into a steep step formation and then covering with smooth, steep cement surfacing  USHS DN. 06/13/50 drawings "Blueprint Purchase Ups Capitol Cost" \$3000 for original blueprints from Mrs. Kletting (down from \$10,000)  USHS Trib 010/12/50 steps, electricity "Aging Capitol due face Lifting work dome "Capitol Dome to have New Copper Flashings"  USHS Trib. 12/10/50 Senate chamber "Crews Scrub up Chambers for Legislature of 1951" biennial housecleaning dome, lighting "Brilliant Lights Switched on Capitol Dome" dome "Capitol Dome takes on Copper Look"  USHS Trib. 12/27/50 dome "Capitol Dome takes on Copper Look"  USHS Trib. 12/11/52 House rail "Gallery rail repair due; Solons safe"	USHS DN.	09/23/49	roof	"Funds Approved for repairs on Capitol Roof"		
USHS Trib. 03/02/50 heat, skylight, café "Examiners Allow Capitol Deficit"  incl. \$15,500 steam heating pipes, \$10,170 café renovation, \$9903 roof repair;  \$9450 skylight glass repair  dome "Capitol Dome Repair Job Busies Crew"  500 broken skylights replaced, repair lantern balcony (formerly concrete covered with galvanized steel) steel replaced with copper sheathing  exterior columns "Pigeons at Capitol to lose their Roost"  cementing bricks into a steep step formation and then covering with smooth, steep cement surfacing  USHS DN. 06/13/50 drawings "Blueprint Purchase Ups Capitol Cost"  \$3000 for original blueprints from Mrs. Kletting (down from \$10,000)  USHS Trib 010/12/50 steps, electricity "Aging Capitol due face Lifting work dome "Capitol Dome to have New Copper Flashings"  USHS Trib. 12/10/50 Senate chamber "Crews Scrub up Chambers for Legislature of 1951"  biennial housecleaning dome, lighting "Brilliant Lights Switched on Capitol Dome"  USHS Trib. 08/25/51 dome "Capitol Dome takes on Copper Look"  USHS Trib. 12/11/52 House rail "Gallery rail repair due; Solons safe"	USHS DN.	09/29/49	skylight	"New Bids Called For At State Capitol"		
incl. \$15,500 steam heating pipes, \$10,170 café renovation, \$9903 roof repair; \$9450 skylight glass repair  dome "Capitol Dome Repair Job Busies Crew" 500 broken skylights replaced, repair lantern balcony (formerly concrete covered with galvanized steel) steel replaced with copper sheathing  exterior columns "Pigeons at Capitol to lose their Roost" cementing bricks into a steep steep formation and then covering with smooth, steep cement surfacing  drawings "Blueprint Purchase Ups Capitol Cost" \$3000 for original blueprints from Mrs. Kletting (down from \$10,000)  USHS Trib 010/12/50 steps, electricity "Aging Capitol due face Lifting work  USHS DN. 12/03/50 dome "Capitol Dome to have New Copper Flashings"  USHS Trib. 12/10/50 Senate chamber "Crews Scrub up Chambers for Legislature of 1951" biennial housecleaning  USHS Trib. 08/25/51 dome "Brilliant Lights Switched on Capitol Dome" dome, lighting "Brilliant Lights Switched on Capitol Dome" "Capitol Dome takes on Copper Look"  USHS Trib. 12/11/52 House rail "Gallery rail repair due; Solons safe"			450 panes of glass in th	he main foyer need replacing		
USHS Trib. 03/21/50  USHS Trib. 03/21/50  USHS DN. 04/11/50  USHS DN. 04/11/50  USHS DN. 06/13/50  USHS DN. 06/13/50  USHS DN. 06/13/50  USHS Trib 010/12/50  USHS Trib 12/27/50  USHS Trib. 12/27/50  USHS Trib. 08/25/51  USHS Trib. 08/25/51  USHS Trib. 12/11/52  USHS Trib. 12/11/52  Senate chamber 19/10/10/10/10/10/10/10/10/10/10/10/10/10/	USHS Trib.	03/02/50	heat, skylight, café	É "Examiners Allow Capitol Deficit"		
USHS DN. 04/11/50 exterior columns "Pigeons at Capitol to lose their Roost" cementing bricks into a steep step formation and then covering with smooth, steep cement surfacing  USHS DN. 06/13/50 drawings "Blueprint Purchase Ups Capitol Cost" \$3000 for original blueprints from Mrs. Kletting (down from \$10,000)  USHS Trib 010/12/50 steps, electricity "Aging Capitol due face Lifting work  USHS DN. 12/03/50 dome "Capitol Dome to have New Copper Flashings"  USHS Trib. 12/27/50 dome, lighting "Brilliant Lights Switched on Capitol Dome"  USHS Trib. 08/25/51 dome "Capitol Dome takes on Copper Look"  USHS Trib. 12/11/52 House rail "Gallery rail repair due; Solons safe"						
USHS DN. 04/11/50 exterior columns "Pigeons at Capitol to lose their Roost"  cementing bricks into a steep step formation and then covering with smooth, steep cement surfacing  USHS DN. 06/13/50 drawings "Blueprint Purchase Ups Capitol Cost"  \$3000 for original blueprints from Mrs. Kletting (down from \$10,000)  USHS Trib 010/12/50 steps, electricity "Aging Capitol due face Lifting work  USHS DN. 12/03/50 dome "Capitol Dome to have New Copper Flashings"  USHS Trib. 12/10/50 Senate chamber "Crews Scrub up Chambers for Legislature of 1951"  biennial housecleaning dome, lighting "Brilliant Lights Switched on Capitol Dome"  USHS Trib. 08/25/51 dome "Capitol Dome takes on Copper Look"  USHS Trib. 12/11/52 House rail "Gallery rail repair due; Solons safe"	USHS Trib.	03/21/50	dome	"Capitol Dome Repair Job Busies Crew"		
USHS DN. 06/13/50 drawings "Blueprint Purchase Ups Capitol Cost"  \$3000 for original blueprints from Mrs. Kletting (down from \$10,000)  USHS Trib 010/12/50 steps, electricity "Aging Capitol due face Lifting work  USHS DN. 12/03/50 dome "Capitol Dome to have New Copper Flashings"  USHS Trib. 12/10/50 Senate chamber "Crews Scrub up Chambers for Legislature of 1951"  biennial housecleaning  USHS Trib. 08/25/51 dome "Capitol Dome takes on Copper Look"  USHS Trib. 12/11/52 House rail "Gallery rail repair due; Solons safe"						
USHS DN. 06/13/50 drawings "Blueprint Purchase Ups Capitol Cost" \$3000 for original blueprints from Mrs. Kletting (down from \$10,000)  USHS Trib 010/12/50 steps, electricity "Aging Capitol due face Lifting work  USHS DN. 12/03/50 dome "Capitol Dome to have New Copper Flashings"  USHS Trib. 12/10/50 Senate chamber "Crews Scrub up Chambers for Legislature of 1951"  biennial housecleaning dome, lighting "Brilliant Lights Switched on Capitol Dome"  USHS Trib. 08/25/51 dome "Capitol Dome takes on Copper Look"  USHS Trib. 12/11/52 House rail "Gallery rail repair due; Solons safe"	USHS DN.	04/11/50	exterior columns	"Pigeons at Capitol to lose their Roost"		
### Samples   \$3000 for original blueprints from Mrs. Kletting (down from \$10,000)    USHS Trib   010/12/50   steps, electricity   "Aging Capitol due face Lifting work    USHS DN.   12/03/50   dome   "Capitol Dome to have New Copper Flashings"    USHS Trib.   12/10/50   Senate chamber   "Crews Scrub up Chambers for Legislature of    1951"   biennial housecleaning   dome, lighting   "Brilliant Lights Switched on Capitol Dome"    USHS Trib.   08/25/51   dome   "Capitol Dome takes on Copper Look"    USHS Trib.   12/11/52   House rail   "Gallery rail repair due; Solons safe"				steep step formation and then covering with smooth, steep		
USHS Trib 010/12/50 steps, electricity dome "Capitol due face Lifting work dome "Capitol Dome to have New Copper Flashings" USHS Trib. 12/10/50 Senate chamber "Crews Scrub up Chambers for Legislature of 1951" biennial housecleaning dome, lighting "Brilliant Lights Switched on Capitol Dome" USHS Trib. 08/25/51 dome "Capitol Dome takes on Copper Look" USHS Trib. 12/11/52 House rail "Gallery rail repair due; Solons safe"	USHS DN.	06/13/50	drawings	"Blueprint Purchase Ups Capitol Cost"		
USHS DN. 12/03/50 dome "Capitol Dome to have New Copper Flashings"  USHS Trib. 12/10/50 Senate chamber "Crews Scrub up Chambers for Legislature of 1951"  biennial housecleaning dome, lighting "Brilliant Lights Switched on Capitol Dome"  USHS Trib. 08/25/51 dome "Capitol Dome takes on Copper Look"  USHS Trib. 12/11/52 House rail "Gallery rail repair due; Solons safe"			\$3000 for original bluep	prints from Mrs. Kletting (down from \$10,000)		
USHS Trib. 12/10/50 Senate chamber "Crews Scrub up Chambers for Legislature of 1951"  biennial housecleaning dome, lighting "Brilliant Lights Switched on Capitol Dome"  USHS Trib. 08/25/51 dome "Capitol Dome takes on Copper Look"  USHS Trib. 12/11/52 House rail "Gallery rail repair due; Solons safe"	USHS Trib	010/12/50	steps, electricity	"Aging Capitol due face Lifting work		
USHS Trib. 12/27/50 dome, lighting "Brilliant Lights Switched on Capitol Dome" USHS Trib. 08/25/51 dome "Capitol Dome takes on Copper Look" USHS Trib. 12/11/52 House rail "Gallery rail repair due; Solons safe"	USHS DN.	12/03/50	dome	"Capitol Dome to have New Copper Flashings"		
USHS Trib. 12/27/50 dome, lighting "Brilliant Lights Switched on Capitol Dome"  USHS Trib. 08/25/51 dome "Capitol Dome takes on Copper Look"  USHS Trib. 12/11/52 House rail "Gallery rail repair due; Solons safe"	USHS Trib.	12/10/50	1951"	"Crews Scrub up Chambers for Legislature of		
USHS Trib. 08/25/51 dome "Capitol Dome takes on Copper Look" USHS Trib. 12/11/52 House rail "Gallery rail repair due; Solons safe"	HOHO TH	10/07/50		«Dulling Ticks C. S. I. I C. S. I.D»		
USHS Trib. 12/11/52 House rail "Gallery rail repair due; Solons safe"						
	USHS Inb.	12/11/52				

Source Paper	Date File	Item	Title
USHS Trib.	01/12/53		"Unused Capitol Space Allotted Two Agencies" railing (spectators knocked chunks loose) removed, new
USHS DN.	04/01/53	HVAC, plumbing, "C	y Artistic Lighting Studio reaking Capitol in Need of Multiple Repairs" nders during construction; Acid combined with moisture has
USHS DN.	05/13/53	1 1	"State Okehs Capitol Repair"
USHS DN.	010/07/53	annex  Legislature to consider b	ments, electricity, 1st & 2nd floor women's restrooms "Annex to Capitol May Be Mulled At Utah Session" wilding an annex
USHS DN.	12/30/53	1 "	"Engineers Probe buckling of Capitol Floor" tor's office floor popped, crackled, and buckled late Monday sion when building heated after long weekend cause
USHS DN.	01/21/54	water	"Capitol will close Jan. 23-24 for Repairs"
USHS DN.	03/05/54	landscape	"Answers Criticism of Capitol Grounds"
		felled trees were either di by largers trees.	iseased, practically dead, badly broken under snow, or stunted
USHS DN.	05/27/54	chimney	"State Capitol Chimney seen in need of repairs" by firm which makes boiler stack inspections
USHS DN.	06/25/54	1 1	"Utah Urged To Build For Offices"
COITO DIV.	00/25/31		specifications are to use reserve funding
USHS Trib.	08/07/54		"More State Office Space"
	, ,	1 ,	tudy for a new state office building
USHS Trib.	12/26/54	landscape Capitol"	"Stately Lombardies Bow Out Without a Shade at
USHS Trib.	01/18/55	1 -	s "Elizabeth Velvet Too Rich for Capitol"
USHS DN.	01/18/55	Gold room fabrics	"Gov. Lee Mulls Cost Of 'Queenly' Decorations" the South wall and fring on on draperies
USHS DN.	02/05/55	office space Office"	"Group Appointed To Study Need For State
		Tenative plans for a six	
USHS DN.	06/25/55	parking	"Toronto Seeks Opinion on Parking fund"
USHS DN.	07/14/55	electrical	"\$32,380 low bid on Capitol wiring"
USHS DN.	07/21/55	parking	"State Considers buying city land by Capitol"
USHS Trib.	07/28/55	parking	"Officials Laud new Capitol Parking plan"
USHS DN.	08/12/55	Gold Room Remod H.W. Urry to	"State to Let Contract Stand On Gold Room remodel the gold room
USHS Trib.	08/12/55	Gold room	"Capitol Gold Room Contract to Stand" by Aurther Lee and Sons, an English firm.
USHS DN.	11/28/55	Golf room	"Salt Lake Gets 'Gold Room' Refurnishing Job"

Source Paper	Date Fil	e Item	Title
USHS DN.	12/28/55	board room Refurbishing"	"Utah Board Room at Capitol May Get
USHS DN.	02/14/56	paint and polish	"Capitol Interior To Get \$17,000 Paint-Polish Job" alt Lake painter and decorator got the bid
USHS DN.	03/30/56	Rotunda painted Capitol"	"\$16,780 Redecorating Job Begins At State
Trotto El I	0.4./0.0./5.4	A nine color palate was	
USHS Trib	04/28/56	dome cleaned	, 0
USHS DN.	05/05/56	old globes	"Capitol Cleanup Yeilds Old Globes"
Trotto El I	0 < 100 / 5 <	Old light bulbs found in	
USHS Trib	06/22/56		"Dome of Capitol 'Has a Glow on"
USHS DN.	09/06/56	Senate, House, Co Chairs covered in velvet,	o "State To Redecorate Four Capitol Rooms"  painting, cleaning
USHS DN.	11/15/56	Gold room original colors of paint	8
USHS DN.	12/28/56	Gold room	"Redecorating Completed On Gold Room"
USHS Trib.	02/07/57	Discusses cost, fabric, po office space	
		1 *	-
USHS DN.	09/27/57	exterior steps to cover new steps in from	"Examiners Vote \$10,000 deficit"
USHS Trib.	01/28/59	state office bldg	"Building Board Unveils Capitol Plan"
USHS DN.	010/03/5	office space	"4 New Agencies Vie For Capitol Space"
USHS DN.	05/12/60	remodeling C	"S.L. Architect Firm Commissioned To Plan State
		bulge and cracks in the	wall on the fourth floor
USHS Trib.	08/18/61	remodel plans Capitol"	"Architects Revising Plans For Remodeling
		_	d Monroe and Associates
USHS DN.	11/29/61	remodeling bid	"S.L. Firm Bids Low On Capitol Remodeling"
			wireing, power, phone HVAC
USHS Trib	04/01/62	reface walls  photo of the walls being	"Her Figure's Impressive, but State Capitol Fa"
USHS Trib.	03/21/65	1	"Crews Tackle Rampton Office"
CC110 1110.	03/21/03		space, replace elevators-wooden windows frames and the
USHS Review	v. 12/30/65		"State Capitol Building to Lose 'Dirty Dungaree'
		Loo 200 holes were patched murals from falling down	in the building's copper dome for \$1240 to prevent the plaster n as a result of water seepage. Burton Taylor, Planning Arch of Utah State U) and D. H. Ensign hired

Source Paper	Date File	Item	Title
USHS DN.	09/05/66	sculpture	"Harrimans Decline To Select Site"
USHS DN.	010/14/66	Harriman memoria	al"Memorial site Okay"
USHS DN.	12/22/66	repair	"State Capitol 'Falling Apart"
		wanting to install <b>glass</b>	booths for the press in the House; roof leaking,
		ceiling linen hanging, a dome needs repair	rotunda chandelier not lit, terra cotta below
USHS DN.	09/21/67	repair	"Utah Capitol has 'Drips of Despair"
CSHS DIV.	09/21/07	don't know whether the a	dome leak is in the copper cover or in the sheet metal cound the skylights leak and the roof drains are in
USHS DN.	010/02/67	Mrs Roland Rich	"DUP Hails Design of Utah Capitol"
USHS Trib.	01/10/70	state office bldg	"Panel Urges Offices, police school"
		3	St.O.Bldg, and two additional buildings. (this later to how many buildings were planned)
USHS Trib.	01/20/70		"Plan Nears for New Office Building"
USHS DN.	01/26/70		"Don't Dwarf Capitol with a high rise"
	, ,	AIA advised nothing hig	gher than capitol; "As C. Northcote Parkinson so cracy expands to fill the space allotted."
USHS Trib.	010/13/71	landscape	"Utah will Blossom on Capitol Plaza"
		1	top rain from leaking onto cars parked in the level
USHS DN.	06/17/77	Governor's office	"More Elbow Room"
		old entry made into office	es, large table will be sold
USHS Trib	11/18/78	committee rooms  partitioned committee room	"Completion Date Set For Capitol Offices"
USHS Eureka	a R 10/04/91	dedication	"Old Story tells of State Capitol dedication,
		program "Program Togath F. C.	mith said that there had been efforts, at first, to
			with said that there had been egons, at first, to building to some other place; but a firm stand had
			a move. This was the place, he said, that had been
		<u> </u>	s and they knew what they were doing, he said."
USHS Trib.	11/17/91	competition	"Competition by design: Getting the people
		excited	
		competition dwgs, which	drew 10 entries, will be on exhibit (east entrance) for
			Utah Division of State History, timeline of places
110110 H '	0.4.0./4.6./0.0	of assembly for state offi	
USHS Trib.	010/16/93		"New Foyer Saves Capitol's Gold Room
LICIIC TITI	040/47/02	From Becoming a Con	
USHS LHJ	010/17/93	glass foyer	"Glass Foyer in Capitol doesn't please
		historians"  preservationists advice	
USHS OSE	010/17/93	glass foyer	"Capitol remodeling saves 'Gold Room"
00110 OOE	010/11/73	181433 10 y C1	Capitol lefilodeling saves Gold Room

APPENDIX IX.	ARCHITECTURAL	_ 6. LIST OF NEW	VSPAPER ARTIC	LES		
		3 0. 2.0 . 0 2 .	, 0			